

File:D coupe Laser Trotec 400 D coupe Laser sur Trotec 400 Step 09.jpg



Size of this preview:800 × 450 pixels.
Original file (1,200 × 675 pixels, file size: 505 KB, MIME type: image/jpeg)

File history

Click on a date/time to view the file as it appeared at that time.

	Date/Time	Thumbnail	Dimensions	User	Comment
current	17:39, 30 March 2017		1,200 × 675 (505 KB)	GautDokit (talk contribs)	Fichier téléversé avec MsUpload on Découpe_Laser_Trotec_400

You cannot overwrite this file.

File usage

The following 4 pages link to this file:

- Apa-apa Tersebut Slot Gacor Hari Ini
- Good Online Slot Gambling Agency Hints 2435278
- Linu Serta Payah Melakukan Slot Gacor Cara Lama Membaca Tersebut
- These 13 Inspirational Quotes Will Aid You Survive In The Dancing World

Metadata

This file contains additional information, probably added from the digital camera or scanner used to create or digitize it. If the file has been modified from its original state, some details may not fully reflect the modified file.

Camera manufacturer	samsung
Camera model	SM-G920F
Exposure time	1/50 sec (0.02)
F Number	f/1.9
ISO speed rating	200
Date and time of data generation	17:13, 19 October 2016
Lens focal length	4.3 mm

Width	5,312 px
Height	2,988 px
Bits per component	8 8 8
Pixel composition	RGB
Orientation	Normal
Number of components	3
Horizontal resolution	72 dpi
Vertical resolution	72 dpi
Software used	Adobe Photoshop CS5 Macintosh
File change date and time	17:17, 27 October 2016
Exposure Program	Normal program
Exif version	2.2
Date and time of digitizing	17:13, 19 October 2016
APEX shutter speed	5.64
APEX aperture	1.85
APEX brightness	1.39
APEX exposure bias	0
Maximum land aperture	1.85 APEX (f/1.9)
Metering mode	Spot
Flash	Flash did not fire
User comments	IICSAll
Supported Flashpix version	0,100
Color space	sRGB
Exposure mode	Auto exposure
White balance	Auto white balance
Scene capture type	Standard
Date metadata was last modified	19:17, 27 October 2016
Unique ID of original document	xmp.did:0980117407206811871FB233EC3BAB3E